



CL Challenger Lifts

QUALITY. INNOVATION. SERVICE.

LOUISVILLE, KENTUCKY

WARRANTY

Purchase of a Challenger lift includes a limited warranty guaranteed to the original owner. To validate your Challenger warranty, you must register your lift at www.challengelifts.com/register-your-lift/. Extended warranties are also available for purchase. Ask your Challenger Lifts Representative for more details about terms and conditions.

LIFT PAINT

Challenger's professional-grade 2-post, 4-post, and inground lifts come standard with durable powder coat paint. Our industry-leading fully automated paint system includes a five-stage wash and seal process that provides lasting corrosion resistance.

Lifts are available in red (-04), blue (-06), and black (-02) except when otherwise noted.

PROFESSIONAL INSTALLATION & SERVICE

With a professional Challenger installation, you can promise customers peace of mind. A proper install of Challenger products is essential to safety, certainty and future success. Challenger installation technicians are factory trained on the skills needed to install and service our diverse product line, including 2-post, 4-post, inground lifts and much more.

A poor installation can compromise the stability and safety of any lift. An Authorized Challenger Installation protects against these risks and secures your investment.

SERVICE NETWORK

Challenger Lifts has a nationwide network of authorized service centers and distributors to support customers with product delivery, service and professional installation. Contact your local Challenger Lifts representative to find your nearest authorized Challenger service provider.

CERTIFICATIONS

Challenger Lifts meets strict industry standards to bear the Gold Label of the ANSI Accredited ALI Certification Program. As an active board member of the Automotive Lift Institute (ALI), we promote high quality product standards and safe design, construction and use of vehicle lifts across the industry. From design to manufacture, we take great pride in ensuring quality at every stage of production. We're not just lifting vehicles; we're raising the standards for an entire automotive lifts industry.





2-POST PROFESSIONAL GRADE LIFTS

Challenger offers a range of 2-post vehicle lifts an capacities from 9,000 lbs. (4,082 kg) to 18,000 lbs. (8,165 kg). Every 2-post is manufactured to the highest standards for lasting durability and designed with key productivity features to help you reach your full service potential. Ensure a higher return on investment by customizing your vehicle lift fleet with features you won't find anywhere else. Contact your rep today for pricing information on our 2-post lift selection.

DUAL PENDANT CONTROLS

Always within technician reach when small spotting adjustments matter, dual pendant controls expedite vehicle spotting from either column by providing an unobstructed view to lifting points.



QUICK CYCLE

The Quick Cycle hydraulic enhancement increases lift service efficiency by saving rise and descent time. Boost the productivity and profitability of your shop by servicing more vehicles in the same amount of time.



DRIVE-ON EXPRESS PAD

A 9,000 lb. (4,082 kg) capacity low-profile pad allows vehicles to drive on with ease. Locking flip-up ramps provide easy pad extension for the quickest vehicle loading possible.



EXTENDED HEIGHT

Maximize your vertical shop space with an extended Challenger lift. Choose between 1' (305 mm), 2' (610 mm) or 3' (914 mm) column extensions to best suit your ceiling.



15,000 LB. - 18,000 LB. CAPACITY

15000

Premium 15,000 lb. professional-grade 2-post lift with 2-stage front and rear arms

15000-3S

Industry-only 3-stage front/rear arms, low-profile adapter to accommodate Euro-style cargo vans

18000

Premium 18,000 lb. professional-grade 2-post lift with 2-stage front and rear arms.



- » 15,000 (6,804 kg) / 18,000 lb. (8,165 kg) lift capacity
- » Single-point air actuated lock release allows technician to disengage both columns simultaneously
- » Oversized 5" (127 mm) diameter steel pulley and heavy-duty 10 mm cable reduces stress on equalization system and increases cable life
- » 60" (1524 mm) lifting carriage design increases lift life
- » Padded overhead shut off system prevents vehicle damage
- » Premium powder coat finish provides long-lasting durability
- » Plated arm pins inhibit rust and provide long-lasting durability
- » Heavy-duty polyurethane screw pads meet a wide range of recommended lifting points
- » Standard dual integrated rubber door guards help protect vehicle panels from inadvertent damage

	Cargo Van 15K	Standard 15K	Standard 18K
Model Number	15000-3S	15000	18000
Lifting Capacity	15,000 lbs. (6,804 kg)		18,000 lbs. (8,165 kg)
Lifting Configuration	Symmetric		
Arms	HD 3-stage front/rear	HD 2-stage front/rear	
Rise Height	82" (208 cm)	85" (216 cm)	
Overall Height	174" (442 cm)		
Overall Width	154.75" (393 cm)		
Drive-Thru Clearance	104.25" (265 cm)		
Floor to Overhead Switch	167" (424 cm)		
Arm Reach (Min.)	36.625" (930 mm)	38.5" (978 mm)	
Arm Reach (Max.)	75" (1905 mm)	62" (1575 mm)	
Screw Pad Height	5.5" - 10.875" (140 mm - 276 mm)		
Inside Columns	119.875" (305 cm)		
Air Supply Required	90-120 psi (6.2 - 8.3 bar)		
Std. Motor/Voltage	2HP 208v-230v, 60Hz, 1Ph		
Speed of Rise	77 seconds		
Ceiling Height Req.	14' 8" (447 cm)		
ALI/ETL Certified	√	√	√
2' (610 mm) Height Extension	√	√	√
Colors Available**	Red, Blue, Black		

2-POST ACCESSORIES

CL Footpads

- » Challenger's telescoping footpads provide simple access to vehicle lift points
- » Footpads can be screwed up or down to ensure level lifting
- » More precise and secure frame engagement ensures technician safety
- » Steel footpad is designed to endure the wear and tear of a highly productive shop
- » Frame engaging lips reduce the need for additional adapters



CURRENT PADS

Premium double-telescoping polyurethane screw pads come standard with all 9,000 lb. and 10,000 lb. capacity 2-post and inground lifts.

Part No. B2270



Heavy-duty single-telescoping polyurethane screw pads come standard with all 12,000 lb., 15,000 lb. and 18,000 lb. capacity 2-post and inground lifts.

Part No. B12162S-12
(Models E12/CL12/15000-3S)

Part No. B12162S
(Models E15/15000/18000)



NEW

Designed specially to accommodate the 2019 Chevy Silverado and GMC Sierra trucks. The trucks' new frame is wider in the front at the factory-recommended lift points.

Challenger Lifts has designed new footpads with extra-wide heavy-duty polyurethane for ample surface area to protect the new truck's frame. Footpads are sold in a pair.

Part No. B2280PR

Lift Point Accessories



Stack adapter kit includes four 3" (76 mm) adapters, two 6" (152 mm) adapters, and two organizer racks with hardware

Part No. 10315

COMES STANDARD WITH MODELS:

CL10V3-DPC, E12 & CL12



Stack adapter kit comes with four heavy-duty 4" (102 mm) stack adapters, two heavy-duty 8" (203 mm) stack adapters and two organizer racks

COMES STANDARD WITH MODELS:

E15, 15000, 18000

PURCHASE BY PIECE



Stack organizer rack
10316



3" (76 mm) stack adapter
(sold individually)
B2206-3



Pair of 6" (152 mm)
stack adapters
10313



Heavy-duty medium 4"
(102 mm) stack adapter
(sold individually)
B12069



Heavy-duty tall 8"
(203 mm) stack adapters
(sold individually)
B12068